
Django OSM Field Documentation

Release 0.1.4

Sinnwerkstatt Medienagentur GmbH

November 10, 2014

1	Django OSM Field	3
1.1	Features	3
2	Installation	5
3	Usage	7
3.1	Model Layer	7
3.2	Form Layer	7
3.3	View Layer	7
3.4	Template Layer	8
4	Credits	9
4.1	Contributors	9
5	History	11
5.1	0.1.4 (2014-06-02)	11
5.2	0.1.3 (2014-05-28)	11
5.3	0.1.0 (2014-05-20)	11
6	Indices and tables	13

Contents:

Django OSM Field

Django OpenStreetMap Field

- Free software: BSD license
- Documentation: <http://django-osm-field.rtfd.org>.

1.1 Features

- TODO

Installation

Install django-osm-field from PyPI:

```
$ pip install django-osm-field
```

Add django-osm-field to your INSTALLED_APPS:

```
INSTALLED_APPS = (
    # ...
    'osm_field',
    # ...
)
```

Usage

3.1 Model Layer

You only need to add a single model field to your model. django-osm-field will automatically add two additional fields <name>_lat and <name>_lon to the model to store the latitude and longitude:

```
from django.core.urlresolvers import reverse
from django.db import models

from osm_field.fields import OSMField

class MyModel(models.Model):
    location = OSMField()
```

Apart from the field `location` there will also be a field `location_lat` and a field `location_lon`.

3.2 Form Layer

```
from django import forms

from .models import MyModel

class MyModelForm(forms.ModelForm):

    class Meta:
        fields = ['location', 'location_lat', 'location_lon']
        model = MyModel
```

3.3 View Layer

```
from django.views.generic import CreateView

from .forms import MyModelForm
from .models import MyModel
```

```
class MyCreateView(CreateView):
    form_class = MyModelForm
    model = MyModel
```

3.4 Template Layer

```
{% load static from staticfiles %}<!DOCTYPE HTML>
<html>
  <head>
    <title></title>
    <link rel="stylesheet" href="{% static "css/example.css" %}">
    <!-- Either serve jQuery yourself --&gt;
    &lt;link rel="stylesheet" href="{% static "js/vendor/jquery-2.1.0.min.js" %}"&gt;
    <!-- or from a CDN --&gt;
    &lt;script type="text/javascript" src="//code.jquery.com/jquery-2.1.0.min.js"&gt;&lt;/script&gt;
  &lt;/head&gt;
  &lt;body&gt;
    {{ form.media }}
    &lt;form action="" method="post"&gt;
      {% csrf_token %}
      {{ form.as_p }}
      &lt;input type="submit" value="Save" /&gt;
    &lt;/form&gt;
  &lt;/body&gt;
&lt;/html&gt;</pre>
```

Credits

- Markus Holtermann <info@markusholtermann.eu>
- Thomas Schmidt <schmidt@netaction.de>

4.1 Contributors

None yet. Why not be the first?

History

5.1 0.1.4 (2014-06-02)

- Add minified JavaScript and CSS sources

5.2 0.1.3 (2014-05-28)

- jQuery is not automatically added by the widgets media class anymore

5.3 0.1.0 (2014-05-20)

- First release on PyPI.

Indices and tables

- *genindex*
- *modindex*
- *search*